

Rapid Deployment Flood Control System




Figure 1 Side View Of Double Stacked Units

Figure 2 Front View Of Double Stacked Units

Rapid Deployment Flood Control System




Figure 3 3-Dimensional View Of Unit

Rapid Deployment Flood Control System




Figure 4 Side View Of Anchored Double Stacked Units

Rapid Deployment Flood Control System




Figure 5 Front View Of Anchored Double Stacked Units

Rapid Deployment Flood Control System




Figure 6 3-Dimensional View Of Anchored Attached Unit

By calculating the size or volume of the foundation the weight of it can then be determined. The size or volume of the foundation 22 can be calculated in cu. ft by multiplying the width w the depth times the length (W x D x L). Multiplying the size (cu. ft.) of the foundation 22 by the weight of a cu. ft. of water times the density of the surface 20 the weight W_F of the foundation can be calculated.

For example, given the width of the foundation 22 is 2 ft., the depth is 1.5 ft., and the length is 500 ft. then the size of the foundation is 1500 cu. ft. The weight of a cu. ft of water is approximately 63.73 pounds per cu. ft. and if the density of the surface 20 is 1.1 then the weight W_F of the foundation is equal to 1500 cu. ft. X 63.73 pounds per cu. ft. X 1.1 or 105,154.5 pounds or 52.6 tons

Rapid Deployment Flood Control System




Figure 7 Overhead View Of Base



Figure 8 Front View Base




Figure 9 Cross Sectional Front View Of Base




Figure 10 Cross Sectional Side View Of Base.

Rapid Deployment Flood Control System




Figure 11 Front View Of Front Side Wall




Figure 12 Rear View of Front Sidewall




Figure 13 Outside View of Back Sidewall




Figure 14 Inside View of Back Sidewall

Rapid Deployment Flood Control System




Figure 15 Side View of Front Sidewall




Figure 16 Side View of End Panel




Figure 17 Side View of Rear Sidewall




Figure 18 Erected Cross Sectional View Of End Panels And Bottom Panel




Figure 19 Cross Sectional View Of End Panels And Bottom Panel Folded Into Shipping and Storage Position




Figure 20 Cross Sectional View Of Bottom Panel And Top View of End Panels Packed For Shipping and Storage

Rapid Deployment Flood Control System




Figure 21 Unfolded Cross Sectional View Of End Panels And Bottom Panel




Figure 22 Overhead View Of Unfolded End Panels And Bottom Panel




Figure 23 Bottom View Of Unfolded End Panels And Bottom Panel

Rapid Deployment Flood Control System




Figure 4 Side View Of Anchored Double Stacked Units

Rapid Deployment Flood Control System




Figure 25 Cross Sectional View Of Anchored Double Stacked Units Water Filled Bladders

Rapid Deployment Flood Control System




Figure 26 Overhead View Of Empty Joined Units With Skirt

Rapid Deployment Flood Control System




Figure 27 Flood Control Channel

Rapid Deployment Flood Control System




Figure 28 Protected Enclosed Area

Rapid Deployment Flood Control System




Figure 29 Overhead View of Joined Units At 90° Angle

Rapid Deployment Flood Control System




Figure 30 Front View Anchored Flood Control System Joined At Right Angle

Rapid Deployment Flood Control System




Figure 31 Storage Tank